EXERCISES (lesson-5

According To NEP Guidelines

only Book work

Multiple Choice Questions

| | OIII) DOOK WOLL |
|----|--|
| 1. | Every HTML document consists of |
| | (a) values and consists of |
| 2. | Tags are always engless 1 (b) tags (c) none of these |
| | Tags are always enclosed within a pair of |
| 3. | What is the defeate (b) square (c) angular |
|). | What is the default position of a background image? |
| | (b) center (c) bottom |
| | An HTML document is saved with the extension |
| | - Saved with the extension |
| | (a) .htm (b) .html (c) both (a) and (b) |
| | Which one of the following godes is in a |

- 5.
 - (a) $\langle P \rangle$ Heading are given on the top $\langle p \rangle$
 - (b) <Body bgcolour = "red">
 - (c) both (a) and (b)

Write the names of the following tags.

- 1.
 Break
- 2. <HR>> Morizontal Rule

- 3. Bold
- 4. <P> Paragraph.

EXERCISES

| H | 4 | | ω. | | 2. | | 1. | MI MI | | |
|-------------------|--|-----------------|--|--------|---------------------------------|-----------------|--|---------------------------|-----------------------------|------|
| (a) Input | | (a) age123 | Which of the fol | (a) F5 | Flowchart can be | (a) algorithm | A sequence of ste | Multiple Choice Questions | | |
| (b) Decision | box is used to start or end a flowchart. | (b) Red Carpet | Which of the following is not a valid variable in Flowgorithm: | (b) F6 | Flowchart can be executed using | (b) flowchart | A sequence of steps to solve a problem is called | estions | According To NEP Guidelines | |
| (c) Start or stop | r end a flowchart. | (c) value_final | riable in Flowgorithm: | (c) F3 | | (c) flowgorithm | s called | | | |
| | | | | | | | 2 | 025/ | | 5:17 |

Very Short Answer Questions

What is an algorithm?

lesson -7 book work

| SSO | n-7 EXERCISES | 3. | | | | | | |
|---|---|---------|--|--|--|--|--|--|
| ok | WOLK According to NEP Guidelines | 4. | | | | | | |
| Overtions | | | | | | | | |
| 2 | Multiple Choice Questions language language | F. | | | | | | |
| 3. | (a) Integer (b) Float (c) String | A. | | | | | | |
| 4.5. | (a) Tab key (b) \t (c) /t | | | | | | | |
| Fill in the blanks. Cohorate declaration. | | | | | | | | |
| 1. 2. | Python variables do not need a | ce, | | | | | | |
| 3. | String data type is identified as a contiguous set of characteristic represented in quotes. | cters | | | | | | |
| | The .I.mout function is used to accept input from a keyboar | | | | | | | |
| | New line !!!! escape sequence adds a new line between the argument | ments 8 | | | | | | |

Vory Short Anguar Questions

4. The Input